## INDIGO TECHNICAL DATA **OUTDOOR SOLAR LIGHTS** LIGHTING **RAMA W** 46 190 ~ - Wall lamp with solar cells and rechargeable battery. 140 - Works only when the luminosity is less than 20 Lux. - With swtich and 180° HF sensor max. detection distance 6m. Two levels of lightin after detection, 195 lumens for 30 seconds then 30 lumens with autonomy of 15 hours. - Charging times 6 to 8 hours in full sunlight. This product contains 1 light source(s) of energy efficiency D. CODE DC LED COLOR MATERIAL T° (K) LED Lumen System Lumen OU464WW24 ANTHRACITE CAST ALUMINIUM DC 3,7V 2W 3000K 550 Lm 195 Lm DESCRIPTION ACCESSOIRES $\bigcirc$ REPLACEMENT BATTERY OU445 Wall mounting only. Outdoor use. 1<del>]</del> Protected against dust, And protected against water spray. IP 54 **IK** 05 Protection against an impact energy of 0,70 Joule. Product can be connected to low-voltage systems. A safety extra low voltage luminaire in which voltages higher than those of SELV are not generated. Beam 105°. 105 Product in conformity CE. CE CRI>80 CRI >80 LED specifications. L70B50 50.000h Photobiological risk RG1 RG1 Test on 650°. 650° ∭ U N With solar cells. With sensor. 3 years warranty.



Replaceable LED light source by an electrician.